EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	[(octet\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1 match\$3 or loss)) and ((count\$3 or determin\$5 or detect\$3) near4 (number or (how adj1 many)) near2 (error or slip\$2 or corrupted or damag\$3) near5 bit \$1) and ((second or next or subsequent or consective) adj1 (bit\$1 or samp\$1) near4 (error or mis\$1 match\$3 or mis\$1 align\$4)) and @ad="20040505" and 375/242,226,240.27,243.ods.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/20 09:55
L2	2	[(octel\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1 match\$3 or loss or jitten) and ((count \$3 or determin\$3 or detect\$3) near4 (number or (how adj1 many)) near2 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and ((second or next or subsequent or consecutive) adj1 (bit\$1 or samp\$1) near4 (error or mis\$1 match \$3 or mis\$1 slign\$4)) and @ad<= "20040505" and 375/242,226,240,27,243,ods.	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT	OR .	ON	2010/07/20 09:59
L3	15	[(octet\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1match\$2 or loss or jilten) and ((count \$3 or determin\$3 or detect\$3) near4 (number or (how adj1 many)) near2 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and ((second or next or subsequent or consecutive) adj1 (bit\$1 or samp\$1) near4 (error or mis\$1match \$3 or mis\$1align\$4)) and (@add="20040505" and 7144.48.699.704,746.788,799.cds.	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT	OR OR	ON	2010/07/20 10:00
L4	0	((octet\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1match\$3 or loss or jitter)) and ((count \$3 or determin\$3 or detect\$3) near4 (number or (how adj1 many)) near2 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and ((between or from or among) near6 (first or initial) near4 (second or next or subsequent or consecutive) adj1 (bit\$1 or samp\\$1) near4 (error or mis\$1match\$3 or mis \$1aign\$4)) and @dac4 = "2004050" and 7144.48,699,704.746,788,799.ods.	US-PGPUB; USPAT; USPAT; USPAT; JPO; DERWENT	OR OR	ON	2010/07/20 10:02

L5	2	[((octet\$1 or byte\$1 or frame\$1 or bit\$1 or (data ad]1 block\$1)] near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1 match\$3 or loss or jitter)) and ((count \$3 or determit\$3 or detexts)) near4 (number or (how ad]1 many)) near2 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and ((first or initial or previous) near4 (second or next or subsequent or consecutive) ad]1 (bit\$1 or sampl\$1) near4 (error or mis\$1 match \$3 or mis\$1 siign\$4)) and (@adc = "20040505" and 714/48,699,704,748,788,799.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR OR	ON	2010/07/20 10:03
L6	15	[(loctet\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)]) near4 (error or miss\$3 or repeat\$3 or slis\$3 or mis \$1 match\$3 or loss or jitter)) and ((location or position) near6 (first or initial or previous) near4 (second or next or subsequent or consecutive) adj1 (bit \$1 or samp(\$1) near4 (error or mis \$1 match\$3 or mis\$1 align\$4)) and (@adc = "20045055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/20 10:11
L7	21	((octes\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1 match\$3 or loss or jitter)) and ((location or position) near6 (first or initial or previous) near6 (second or next or subsequent or consecutive) adj2 (bit \$1 or samp \$1) near4 (error or mis \$1 match\$3 or mis\$1 align\$4)) and (@ade = "20040505"	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT	OR	ON	2010/07/20 10:11
L8	0	((octet\$1 or byte\$1 or frame\$1 or bit\$1 or didat adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3 or mis \$1 match\$3 or loss or jitter)) and ((location or position) near6 (between) near4 (first or initial or previous) near4 (second or next or subsequent or consecutive) adj2 (bit\$1 or sampl\$1) near4 (error or mis\$1 match\$3 or mis\$1 align\$4)) and @ad= 20040505°	US-PGPUB; USPAT; USCOR; EPO; JPO; DERWENT	OR	ON	2010/07/20 10:12
SI	5	(octet adj1 slip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:46
S2	481	((octet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip\$2) and (error near3 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:52
S3	480	((octet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and (error near3 bit \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:53

S4	26	((octet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 error near3 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:53
S5	33	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:54
S6	6	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) same first	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:56
S7	32	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and (block or frame window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 10:59
S8	7	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near4 (block or frame or window))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:00
S9	33	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 of frame) near2 slip) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:13
S10	106	((octet\$1 or byte\$1 or frame\$1 or bit\$1) near2 error) and ((count\$2 or determin \$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 (block or window or interval))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:40
S11	72	((octet\$1 or byte\$1 or frame\$1 or bit\$1) near2 error) and ((count\$2 or determin \$3) near2 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 (block or window or interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:40
S12	53	[((octet\$1 or byte\$1 or frame\$1 or bit\$1) near2 error) and ((count\$3 or determin \$3) near2 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 (block or window or interval)) and @ad<="20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:41
S13	37	((loctet\$1 or byte\$1 or frame\$1 or bit\$1) near2 error) and ((count\$3 or determin \$3) near2 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 (blook or window or interval) with (error or slip \$0 corrupt\$2 or damag\$3)) and (@adc = "20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 11:43

S14	16	[((byte\$1) near2 error) and ((count\$3 or determin\$3) near2 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 (block or window or interval) with (error or slip\$2 or corrupt\$2 or damag\$3)) and (@adc = "20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 14:43
S15	16	[((byte\$1) near2 (error or slip\$1)) and ((count\$3 or determin\$3) near2 number near3 (error or slip\$2 or corrupted or damag\$3) near3 bit\$1) and ((search\$3 or check\$3) near2 bit\$6) near2 (block or window or interval) with (error or slip\$2 or corrupt \$2 or damag\$3)) and @ad<="20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/22 14:44
S16	321	((loctet\$1 or byte\$1 or frame\$1) near2 (lerror or slip\$3) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3 or shif \$3 or repeat\$3 or miss\$3 or lost) near4 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/25 19:37
S17	128	((cotet\$1 or byte\$1) near2 (error or slip \$3)) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3 or shif\$3 or repeat \$3 or miss\$3 or lost) near4 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/25 19:37
S18	116	((cotet\$1 or byte\$1) near2 (error or slip \$3)) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3 or repeat\$3 or miss\$3 or lost) near4 bit\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/25 19:38
S19	93	(((octet\$1 or byte\$1) near2 (error or slip \$3)) and ((count\$3 or determin\$3) near5 number near3 (error or slip\$2 or corrupted or damag\$3 or repeat\$3 or miss\$3 or lost) near4 bit\$1) and @ad<="20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/01/25 19:39
S20	О	"etsi\$1ts" adj1 "101 504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:34
S21	4	etsi ts" adj1 "101 504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:34
S22	4	"etsi ts 101 504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:37

S23	2023	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 or (data near2 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3)) and ((coun\$\$3 or determin\$3 or detect\$3) near4 (number or (how ad)1 many)) near3 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and @@d=="20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:39
S24	310	((cotet\$1 or byte\$1 or frame\$1 or bit\$1 or (data near2 block\$1)) near4 (error or miss\$3 or repeat\$3 or slip\$3)) and ((coun\$3 or determin\$3 or detect\$3) near4 (number or (how adj many)) near3 (error or slip\$2 or corrupted or damag\$3) near5 bit\$1) and ((second or next or subsequent) near3 bit\$1 near4 (error or mis\$1 match\$3 or mis\$1 align\$4)) and @dad=200405050	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:41
S25	58	((octe\\$1 or byte\\$1 or frame\\$1 or bit\\$1 or (data adj1 bloc\\$1)) near4 (error or miss\\$3 or repeat\\$3 or sils\\$3 or mis \\$1 match\\$2 or loss)) and ((count\\$3 or determin\\$3 or determin\\$3 or determin\\$3 or determin\\$3 or determin\\$3 or adetermin\\$3 or adetermin\\$3 near2 (error or slip\\$2 or corrupted or damag\\$3) near5 bit \\$1) and ((second or next or subsequent) adj1 (bit\\$1 or samp\\$1) near4 (error or mis\\$1 match\\$3 or mis\\$1 align\\$4)) and (@dd== "20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 10:43
S26	2	((cete\$1 or byte\$1 or frame\$1 or bit\$1 or (data adj1 block\$1)) near4 (error or miss\$3 or repeat\$3 or sils\$3 or mis \$1 match\$3 or determis\$3 or determis\$0 and ((count\$3 or determis\$0 or detertin\$0 and (number or (how adj1 many)) near2 (error or silp \$2 or corrupted or damag\$3) near5 bit \$1) and (between near4 (second or next or subsequent or consecutive) adj1 (bit \$1 or samp\$1) near4 (error or mis \$1 match\$3 or mis\$1 align\$4)) and (@dat = "20040505"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/07/12 14:06

7/20/2010 11:30:00 AM

C:\ Documents and Settings\ Imalek\ My Documents\ EAST\ Workspaces\ 10662122.wsp